

Safety Data Sheet

Densified Granite Effect Series & Luxury Series Granite

MSDS No. 9623.20

Date of Preparation: 7/16/96

Revision: 2/6/15

Section 1 - Chemical Product and Company Identification

Product/Chemical Name: Densified Granite Effect, all colors

General Use: Used in solid surface applications

Manufacturer: The R. J. Marshall Company
26776 W. 12 Mile Road
Southfield, MI 48034-7807
(248) 353-4100

Emergency Phone: (800) 424-9300

Date Revised: 2/6/15

Prepared By: Stephanie Nichols

Section 2 – Hazards Identification

Classification of the chemical in accordance with paragraph (d) of 1910.1200: Not hazardous.

HMIS	
H	1
F	0
R	0
PPE ^{† E}	
	[†] Sec. 8

Signal words: None

Symbol: None

Hazard statements: None

Precautionary statements:

P261: Avoid breathing dust.

P280: Wear eye protection.

P285: In case of inadequate ventilation wear respiratory protection.

P301+313+330: IF SWALLOWED: Rinse mouth, get medical advice.

P305+351+338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do-continue rinsing.

P302+352: IF ON SKIN: Wash with soap and water.

P402: Store in a dry place.

Hazards not otherwise classified: None

Section 3 – Composition/Information on Ingredients

Ingredient Name	CAS Number
Alumina Trihydrate	21645-51-2
Filled polyester	-----

Section 4 - First Aid Measures

Inhalation: If overcome by high dust concentrations, remove to a ventilated area. Seek medical attention for any symptoms that may develop.

Eye Contact: Flush eyes thoroughly taking care to rinse under eyelids. Do not scrub. Abrasion may cause irritation. If discomfort continues, continue to wash with water. If irritation persists, consult a physician.

Skin Contact: Wash skin thoroughly with soap and water. Consult a physician if irritation persists.

Ingestion: Consult a physician.

Most important symptoms/effects, acute and delayed: None

Indication of immediate medical attention and special treatment needed: None

Section 5 - Fire-Fighting Measures

Suitable Extinguishing Media: Water spray, carbon dioxide, or other dry chemical.

Unsuitable Extinguishing Media: None known.

Unusual Fire or Explosion Hazards: None known.

Hazardous Combustion Products: May include carbon monoxide, carbon dioxide, smoke, oxides of nitrogen, and styrene.

Fire-Fighting Instructions: Do not release runoff from fire control methods to sewers or waterways.

Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face-piece operated in pressure-demand or positive-pressure mode.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures: Avoid dust formation. In case of inadequate ventilation wear respiratory protection.

Environmental precautions: None.

Methods and materials for containment and cleaning up: Sweep up and dispose in accordance with local regulations.

Section 7 - Handling and Storage

Precautions for safe handling: Avoid generating dust during handling.

Conditions for safe storage, including any incompatibilities: Keep container tightly closed. Store in dry place.

Section 8 - Exposure Controls / Personal Protection

Engineering Controls:

Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (Sec. 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

Administrative Controls:

Protective Clothing/Equipment: Wear protective eyeglasses.

Contaminated Equipment: Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Ingredient	OSHA PEL		ACGIH TLV	
	TWA	STEL	TWA	STEL
Alumina Trihydrate as Nuisance Dust	15 mg/m ³ total, 5 mg/m ³ respirable	none estab.	none estab.	none estab.
Filled Polyester	none estab.	none estab.	none estab.	none estab.

Section 9 - Physical and Chemical Properties

Appearance: Dyed amorphous particle.

Odor: odorless

Odor Threshold: n/e

pH: n/e

Freezing/Melting Point: n/a

Boiling Point: n/a

Flash Point: n/a

Flash Point Method: n/a

Evaporation Rate: n/a

Flammability: not flammable

Upper/lower flammability or explosive limits: n/a

Vapor Pressure: n/e

Vapor Density (Air=1): n/a

Relative Density: 1.7

Water Solubility: Insoluble

Other Solubilities: n/a

Partition coefficient: n-octanol/water; n/a

Auto-ignition Temperature: Not determined.

Decomposition Temperature: n/a

Viscosity: n/a

Section 10 - Stability and Reactivity

Reactivity: None known.

Chemical Stability: This product is stable at room temperature in closed containers under normal storage and handling conditions.

Possibility of hazardous reactions: No hazardous reactions known.

Conditions to Avoid: None known.

Incompatible materials: Strong acids or alkaline may destroy surface appearance.

Hazardous Decomposition Products: Thermal oxidative decomposition may produce carbon monoxide, carbon dioxide, smoke, oxides of nitrogen, and styrene.

Section 11- Toxicological Information

Information on the likely routes of exposure: Eye, Skin, Inhalation

Symptoms related to the physical, chemical, and toxicological characteristics:

Eye Effects: Nuisance dust. May cause irritation through mechanical abrasion.

Skin Effects: Nuisance dust. May cause irritation through mechanical abrasion.

Acute Inhalation Effects: Overexposure to dust may cause irritation to the respiratory tract.

Acute Oral Effects: None known.

Delayed and immediate effects and also chronic effects from short and long-term exposure: None known.

Numerical measures of toxicity:

Acute:

	Value
Oral	No data available
Dermal	No data available
Inhalation	No data available
Skin Corrosion	No data available
Skin Irritation	No data available
Eye Irritation	No data available
Sensitization	No data available

Repeated dose toxicity:

	Value
Oral	No data available
Inhalation	No data available

Carcinogenicity: Neither this product nor any of its components are considered carcinogenic by OSHA, IARC, NTP, or ACGIH.

Section 12 - Ecological Information

Ecotoxicity: No data available.

Persistence and degradability: No data available.

Bioaccumulative potential: Not applicable

Mobility in soil: Not applicable.

Results of PBT and vPvB assessment: This product does not meet the classification as PBT/vPvB.

Other adverse effects: None known.

Section 13 - Disposal Considerations

Disposal: Recycle or landfill if possible. This substance is inert and does not require special disposal methods. Follow applicable Federal, state, and local regulations.

Section 14 - Transport Information

DOT Transportation Data (49 CFR 172.101): This product is not classified as dangerous under the transport regulations for road, rail, sea, or air transport.

UN Number: not classified as dangerous goods

UN proper shipping name: not classified as dangerous goods

Transport hazard classes: None

Packaging group: None

Environmental hazards: None

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not hazardous.

Special precautions for user: None

Section 15 - Regulatory Information

EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)

RCRA Hazardous Waste Classification: Not classified

CERCLA Hazardous Substance (40 CFR 302.4) not listed

SARA Toxic Chemical (40 CFR 372.65): Not listed

SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed

OSHA Regulations:

Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed

TSCA

This substance or all of its components are on the Chemical Substances Inventory of the Toxic Substance Control Act (TSCA Inventory [USA]). Please note that this product is not subject to any legal reporting requirements under these acts.

Section 16 - Other Information

Prepared By: Stephanie Nichols**Revision Notes:** updated to SDS format**Product Grades Available from the R. J. Marshall Company** (this list may be incomplete):

DGE 200	DGE 622	LXS 355	LXX 629	DGE 330B	SPC 213
DGE 205	DGE 625	LXS 365	LXX 855	DGE 390B	SPC 214
DGE 209	DGE 725	LXS 370	LXX 903	DGE 622B	SPC 260
DGE 210	DGE 750	LXS 450	LXX 904	LXS206B	SPC 324
DGE 300	DGE 800	LXS 630	LXX 905	LXS212B	SPC 626
DGE 305	DGE 805	LXS 720	LXX 910	LXX 202B	SPC 807
DGE 307		LXS 850	LXX 911		SPR 204
DGE 310	LXS 203		LXX 912		SPR 250
DGE 320	LXS 206	LXX 202	LXX 204SE		SPR 312
DGE 321	LXS 212	LXX 204	LXX 260SE		SPR 331
DGE 330	LXS 230	LXX 260	LXX 302SE		SPR 352
DGE 335	LXS 235	LXX 302	LXX 327SE		SPR 430
DGE 340	LXS 315	LXX 327	LXX 357SE		SPR 570
DGE 390	LXS 319	LXX 336	LXX 430SE		SPR 670
DGE 400	LXS 320	LXX 357	LXX 435SE		
DGE 420	LXS 322	LXX 430	LXX 629SE		
DGE 620	LXS 345	LXX 435	LXX 855SE		

Note: This includes all EXP DGE blends and all DGE SB, DGE F, LXSSB, and GRN special blends.

Disclaimer: Information contained herein is presented in good faith and is based on data believed to be accurate. However no warranty is expressed or implied regarding this information or the results obtained from the use of this Safety Data Sheet, whether it originates with The R. J. Marshall Company or others. This Safety Data Sheet relates only to the specific material designated herein. It does not relate to use with other material or processes. This information is supplied with the condition that the use will make appropriate determination as to its suitability for their purpose prior to using it.